

STIC Search Report Biotech-Chem Library

STIC Database Tracking Number: 167922

TO: David Lukton

Location: REM/3B75/3C18

Art Unit: 1654 <u>のナ/</u>6 , 2005

Case Serial Number: 09/963927

From: P. Sheppard

Location: Remsen Building

Phone: (571) 272-2529

sheppard@uspto.gov

Search Notes

THIS PAGE OF AMERICANO.

THIS RELEBENT WESTER

SEARCH REQUEST FORM (STIC)

10 | 5 | 05

Requestor's Name: David Lukton

Examiner number: 71263

Art Unit: 1654

Phone number: 571-272-0952

Serial Number:

09-963927

Mail Box: 3-C-18

Examiner Rm: 3-B-75

Results format: paper

Title: Hydroxy Acid Integrin Antagonists

Applicants: ROGERS, THOMAS, PENNING, THOMAS D., JIANG, LAN, DEVADAS, BALEKUDRU; RUMINISKI, PETER; VANCAMP, JENNIFER; YUAN, CHESTER

Earliest Priority Date:

9/28/00

 R^5 = anything

 R^6 = anything

= anything

R9 = anything

is an oxygen atom, or else "Y" is >N-R1, wherein R1 can be anything

T of Sparch	Vendors and cost where applicable		
	STNDialog		
	Questel/Orbit Lexis/Nexis		
AA Sequence (#)	Quotanoin		
Structure (#)	Westiaw		
	In-house sequence systems		
	Commercial Oligomer Score/Length SPDI Encode/Transl		
Litigation	Interference SPDI Encode/Transi Other (specify)		
Other	•		
	Type of Search NA Sequence (#) AA Sequence (#) Structure (#) Bibliographic Litigation Fulltext		

THIS PAGE BLANK (USPTO,

THIS PAGE BLANK (USPTO)

=> d his ful

L1

L4

(FILE 'HOME' ENTERED AT 18:12:03 ON 11 OCT 2005)

FILE 'REGISTRY' ENTERED AT 18:12:11 ON 11 OCT 2005

STR

L2 3 SEA SSS SAM L1 L3 78 SEA SSS FUL L1

FILE 'HCAPLUS' ENTERED AT 18:16:05 ON 11 OCT 2005

5 SEA ABB=ON PLU=ON L3

D STAT QUE

D IBIB ABS HITSTR L4 1-5

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 10 OCT 2005 HIGHEST RN 864908-12-3 DICTIONARY FILE UPDATES: 10 OCT 2005 HIGHEST RN 864908-12-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

* The CA roles and document type information have been removed from * the IDE default display format and the ED field has been added, * effective March 20, 2005. A new display format, IDERL, is now * available and contains the CA role and document type information. *

Structure search iteration limits have been increased. See HELP SLIMITS

for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of

predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

FILE HCAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing

of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 Oct 2005 VOL 143 ISS 16 FILE LAST UPDATED: 10 Oct 2005 (20051010/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

=> fil hcaplus FILE 'HCAPLUS' ENTERED AT 18:16:05 ON 11 OCT 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.


FILE COVERS 1907 - 11 Oct 2005 VOL 143 ISS 16 FILE LAST UPDATED: 10 Oct 2005 (20051010/ED)

STR

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d stat que L1



VAR G1=O/N
 NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

L3 78 SEA FILE=REGISTRY SSS FUL L1

L4 5 SEA FILE=HCAPLUS ABB=ON PLU=ON L3

=>

=> d ibib abs hitstr l4 1-5

L4 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2002:256240 HCAPLUS

DOCUMENT NUMBER:

136:279118

TITLE:

Preparation and use of amido-hydroxy-carboxylic acid

integrin antagonists

INVENTOR (S):

Rogers, Thomas; Penning, Thomas D.; Jiang, Lan;

Devadas, Balekudru; Ruminiski, Peter; Chester, Yuan;

Vancamp, Jennifer

PATENT ASSIGNEE(S):

Pharmacia Corporation, USA

SOURCE:

PCT Int. Appl., 64 pp. CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO.	DATE
WO 2002026717	A2 20020404	WO 2001-US30189	20010927
WO 2002026717	C1 20021227		
WO 2002026717	A3 20020912		
W: AE, AG, AL,	AM, AT, AU, AZ,	BA, BB, BG, BR, BY,	BZ, CA, CH, CN,
CO, CR, CU,	CZ, DE, DK, DM,	DZ, EC, EE, ES, FI,	GB, GD, GE, GH,
		JP, KE, KG, KP, KR,	
		MK, MN, MW, MX, MZ,	
		SK, SL, TJ, TM, TR,	
		AZ, BY, KG, KZ, MD,	
		SL, SZ, TZ, UG, ZW,	The state of the s
		IE, IT, LU, MC, NL,	
		GQ, GW, ML, MR, NE,	
US 2002072500		US 2001-963927	
CA 2423464	AA 20020404	CA 2001-2423464	20010927
AU 2001093131	A5 20020408	AU 2001-93131	20010927
EP 1322623	A2 20030702	EP 2001-973568	20010927
R: AT, BE, CH,	DE, DK, ES, FR,	GB, GR, IT, LI, LU,	NL, SE, MC, PT,
IE, SI, LT,	LV, FI, RO, MK,	CY, AL, TR	
JP 2004509950	T2 20040402	JP 2002-531101	20010927
US 2004024062	A1 20040205	US 2003-381825	20030327
PRIORITY APPLN. INFO.:		US 2000-235616P	
		US 2000-241656P	
		WO 2001-US30189	
OTHER COIDCE(C).	MADDAT 136.2701		

OTHER SOURCE(S): MARPAT 136:279118

GI

Title compds. I [X = NHC:YNR8R9, NHC:NR1NR8R9, etc.; Y = NR1, O, S; A = N, AΒ C; R1 = H, alkyl, aryl, hydroxy, alkoxy, cyano, nitro, amino, alkenyl, alkynyl, amido, etc. or R1 taken together with R8 forms a 4-12 membered heterocycle; R8 (when not taken together with R1), R9 = H, alk(en/yn)yl, aralkyl, amino, alkylamino, hydroxy, alkoxy, arylamino, amido, alkylcarbonyl, arylcarbonyl, alkoxycarbonyl, aryloxy, aryloxycarbonyl, haloalkylcarbonyl, haloalkoxycarbonyl, alkylthiocarbonyl, arylthiocarbonyl, acyloxymethoxycarbonyl, etc. or NR8 and R9 taken together form a 4-12 membered heterocycle; R2-4 = H, alkyl, hydroxy, alkoxy, aryloxy, halogen, haloalkyl, haloalkoxy, nitro, amino, alkylamino, acylamino, dialkylamino, cyano, alkylthio, etc.; R5-7 = H, alk(en/yn)yl, aryl, carboxy derivs., haloalkyl, cycloalkyl, monocyclic heterocycles, monocyclic heterocycles optionally substituted with alkyl, halogen, haloalkyl, cyano, hydroxy, aryl, fused aryl, nitro, alkoxy, aryloxy, alkylsulfonyl, arylsulfonyl, sulfonamide, thio, alkylthio, carboxy derivs., amino, amido, etc.] were prepared For instance, (4S)-4-aminodihydro-2(3H) furanone hydrochloride (preparation given) was reacted with Boc-Gly-OSu (DMF, NMM, 0°C, 18 h) and the product deprotected with 4N HCl. The intermediate amine was condensed with the corresponding carboxylic acid (prior art, DMF, CH2Cl2, DCC, NMM, 18 h) to give intermediate lactone II isolated as the TFA salt. The desired hydroxy acid was obtained by hydrolysis and isolation at a final pH of approx. 8. Example compds. had IC50 = 0.1 nM - 100 nM for the $\alpha v\beta 3$ integrin and IC50 < 50 μ M for the $\alpha v\beta 5$ integrin. I are useful for the treatment of tumor metastasis, solid tumor growth, macular degeneration, etc.

II

IT 406682-29-9P 406682-30-2P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug; preparation and use of amido-hydroxy-carboxylic acid integrin antagonists)

RN 406682-29-9 HCAPLUS

Absolute stereochemistry.

RN 406682-30-2 HCAPLUS

CN Butanoic acid, 3-[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-hydroxy-, (3S)-, trifluoroacetate (2:3) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 406682-29-9 CMF C15 H18 F3 N5 O5

Absolute stereochemistry.

CM 2

CRN 76-05-1 CMF C2 H F3 O2

L4 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2002:44410 HCAPLUS

DOCUMENT NUMBER:

136:259122

TITLE:

Comparative Study of the Active Site Caging of Serine

Proteases: Thrombin and Factor Xa

Lukton 09_963927 Thuring, Jan Willem; Li, Hui; Porter, Ned A. AUTHOR(S): Department of Chemistry, Duke University, Durham, NC, CORPORATE SOURCE: 27708, USA Biochemistry (2002), 41(6), 2002-2013 SOURCE: CODEN: BICHAW; ISSN: 0006-2960 American Chemical Society PUBLISHER: Journal DOCUMENT TYPE: English LANGUAGE: CASREACT 136:259122 OTHER SOURCE(S): Bovine thrombin and human factor Xa were acylated at their active site selectively with inhibitors derived from the parent compound 4-guanidinophenyl (E)-4-diethylamino-2-hydroxy- α -methylcinnamate hydrochloride, 1b. Peptidyl side chains were attached to the phenol ring via amide connection, which served as a recognition motif in inhibiting different serine proteases. Upon irradiation with 366 nm light, the trans-cinnamate attached to the active-site serine isomerizes to the cis isomer which then rapidly lactonizes to release the free enzyme. The peptidyl side chain sequences specific for each serine protease were revealed via constructing and screening a library of homologous compds. This methodol. may be applied to other proteases. One application based on enzyme-specific, photoactivatable inhibitors is to isolate a designated active protease from a mixture of several proteases. Thus, a cinnamate inhibitor with a biotin moiety, 1d, was synthesized. A solution of enzyme-specific, biotinylated inhibitor was added into a mixture of proteases containing a target enzyme. The target enzyme was acylated at the active site and subsequently bore a biotin tail. An avidin column was used to sep. the biotinylated enzyme from the unmodified ones, by a strong binding between biotin and avidin. After a brief irradiation on the avidin column, the retained enzymes were released from the biotin tag and eluted off the column. To demonstrate the idea, thrombin and factor Xa have been separated from each other by this strategy. IT 405074-68-2 405074-76-2 405074-88-6 405074-98-8 405075-06-1 405075-14-1 405075-22-1 405075-30-1 405075-38-9 405075-46-9 405075-54-9 405075-61-8 405075-69-6 RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study) (library of photoactivatable peptide-substituted cinnamate inhibitors permits comparative study of active site caging in thrombin and factor Xa) 405074-68-2 HCAPLUS RN $L-\alpha$ -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-CN (diethylamino) -2-hydroxyphenyl] -2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L- α -aspartyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Double bond geometry as shown.

247106-31-6 CMF C30 H37 N7 O10

CM

CRN

1

CRN 76-05-1 CMF C2 H F3 O2

RN 405074-76-2 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-alanyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247106-23-6 CMF C29 H37 N7 O8

Absolute stereochemistry.

Double bond geometry as shown.

$$H_2N$$
 H_1
 H_2N
 H

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 405074-88-6 HCAPLUS

CN L-α-Asparagine, N2-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-arginyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247107-19-3 CMF C32 H44 N10 O8

Absolute stereochemistry.
Double bond geometry as shown.

CM 2

CRN 76-05-1 CMF C2 H F3 O2

CN

RN 405074-98-8 HCAPLUS

 $L-\alpha$ -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-3-cyclohexyl-L-alanyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CRN 247107-27-3 CMF C35 H47 N7 O8

Absolute stereochemistry.

Double bond geometry as shown.

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-06-1 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L- α -glutamyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247106-39-4 CMF C31 H39 N7 O10

Absolute stereochemistry.

Double bond geometry as shown.

$$H_2N$$
 NH
 H_2N
 $H_$

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-14-1 HCAPLUS

CN L-α-Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]glycyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247106-47-4 CMF C28 H35 N7 O8

Absolute stereochemistry.

Double bond geometry as shown.

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-22-1 HCAPLUS

CN L- α -Asparagine, N-[5-{(aminoiminomethyl)amino}-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl}-L-isoleucyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247106-55-4 CMF C32 H43 N7 O8

Absolute stereochemistry.

Double bond geometry as shown.

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-30-1 HCAPLUS

CN L- α -Asparagine, N2-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-

lysyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247106-63-4 CMF C32 H44 N8 O8

Absolute stereochemistry.

Double bond geometry as shown.

$$H_2N$$
 NH
 NH
 O
 Me
 NEt_2
 H_2N
 $(CH_2)_4$
 S
 O
 OH
 NEt_2

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-38-9 HCAPLUS

CM 1

CRN 247106-71-4 CMF C31 H42 N8 O8

Absolute stereochemistry.

Double bond geometry as shown.

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-46-9 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-phenylalanyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247106-79-2 CMF C35 H41 N7 O8

Absolute stereochemistry.

Double bond geometry as shown.

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-54-9 HCAPLUS

CN L- α -Asparagine, (2S)-N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-2-phenylglycyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247106-87-2 CMF C34 H39 N7 O8

Absolute stereochemistry. Double bond geometry as shown.

$$\begin{array}{c|c} & & H_2N & & H_N \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ &$$

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-61-8 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-tryptophyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CRN 247107-03-5 CMF C37 H42 N8 O8

Absolute stereochemistry.

Double bond geometry as shown.

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 405075-69-6 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-tyrosyl-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 247107-11-5 CMF C35 H41 N7 O9

Absolute stereochemistry.

Double bond geometry as shown.

CRN 76-05-1 CMF C2 H F3 O2

REFERENCE COUNT: 44 THERE ARE 44 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1999:659421 HCAPLUS

DOCUMENT NUMBER: 131:295583

TITLE: Dual avb3 and metastasis-associated receptor ligands

INVENTOR(S): Tjoeng, Foe S.; Fok, Kam F. PATENT ASSIGNEE(S): G.D. Searle and Co., USA

SOURCE: PCT Int. Appl., 108 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9951638	A1	19991014	WO 1999-US4295	19990407
W: AE, A	AL, AM, AT,	AU, AZ, BA,	BB, BG, BR, BY, CA,	CH, CN, CU, CZ,
DE, I	OK, EE, ES,	FI, GB, GD,	GE, GH, GM, HR, HU,	ID, IL, IN, IS,
JP, F	KE, KG, KP,	KR, KZ, LC,	LK, LR, LS, LT, LU,	LV, MD, MG, MK,
MN, M	MW, MX, NO,	NZ, PL, PT,	RO, RU, SD, SE, SG,	SI, SK, SL, TJ,
ТМ, Т	TR, TT, UA,	UG, US, UZ,	VN, YU, ZA, ZW, AM,	AZ, BY, KG, KZ,
MD, F	RU, TJ, TM			

RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG CA 2325342 AA19991014 CA 1999-2325342 19990407 AU 1999-35453 AU 9935453 **A1** 19991025 19990407 EP 1070085 **A1** 20010124 EP 1999-917301 19990407 AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI R: JP 2002510709 **T2** 20020409 JP 2000-542359 19990407 PRIORITY APPLN. INFO.: US 1998-81074P P 19980408 WO 1999-US4295 W 19990407

OTHER SOURCE(S): MARPAT 131:295583

AB The present invention relates to pharmaceutical compds. which are dual avb3 receptor/metastasis-associated receptor ligands. The use of these dual ligands alone or in conjunction with other agents in pharmaceutical compns., and in methods for treating conditions mediated by avb3 for the treatment of cancer and other angiogenic diseases, such as diabetic retinopathy, arthritis, hemangiomas, and psoriasis, are also disclosed.

IT 246135-47-7P 246135-52-4P 246135-53-5P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(dual Avb3 and metastasis-associated receptor ligands in relation to angiogenesis inhibitor activity and treatment of cancer and other diseases)

RN 246135-47-7 HCAPLUS

CN L-Serinamide, N-[3-[[(phenylmethyl)amino]carbonyl]amino]benzoyl]glycyl-L- α -aspartyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 246135-52-4 HCAPLUS

CN L-Serinamide, N-[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]glycyl-L-α-aspartyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 246135-53-5 HCAPLUS

CN L-Serinamide, N-[3-[(aminoiminomethyl)amino]benzoyl]glycyl-L- α -aspartyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

246135-81-9DP, conjugates with interferon α IT **246135-82-0DP**, conjugates with interferon α **246135-83-1DP**, conjugates with interferon α **246135-84-2DP**, conjugates with interferon α **246135-85-3DP**, conjugates with interferon α 246135-86-4DP, conjugates with interferon α RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (dual Avb3 and metastasis-associated receptor ligands in relation to angiogenesis inhibitor activity and treatment of cancer and other diseases) RN 246135-81-9 HCAPLUS L-Alanine, N-[3-[[[(phenylmethyl)amino]carbonyl]amino]benzoyl]glycyl-L-CN

α-aspartylthio-, 3-S-(2-carboxyethyl) ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-B

PAGE 1-A

RN 246135-82-0 HCAPLUS

CN L-Serine, N-[3-[[(phenylmethyl)amino]carbonyl]amino]benzoyl]glycyl-L- α -aspartylthio-, 3-S-(2-carboxyethyl) ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A

PAGE 1-B

─co₂H

RN 246135-83-1 HCAPLUS

CN L-Alanine, N-[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]glycy l-L- α -aspartylthio-, 3-S-(2-carboxyethyl) ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

$$H_2N$$
 H
 NH
 CF_3
 H
 CO_2H
 Me
 CO_2H

RN 246135-84-2 HCAPLUS

CN L-Serine, N-[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]glycyl-L- α -aspartylthio-, 3-S-(2-carboxyethyl) ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 246135-85-3 HCAPLUS

CN L-Alanine, N-[3-[(aminoiminomethyl)amino]benzoyl]glycyl-L- α -aspartylthio-, 3-S-(2-carboxyethyl) ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 246135-86-4 HCAPLUS

CN L-Serine, N-[3-[(aminoiminomethyl)amino]benzoyl]glycyl-L- α -aspartylthio-, 3-S-(2-carboxyethyl) ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1999:484855 HCAPLUS

DOCUMENT NUMBER: 131:296952

TITLE: Selective Inhibition, Separation, and Purification of

Serine Proteases: A Strategy Based on a Photoremovable

Inhibitor

AUTHOR(S): Porter, Ned. A.; Thuring, Jan Willem; Li, Hui

CORPORATE SOURCE: Department of Chemistry, Duke University, Durham, NC,

27708, USA

SOURCE: Journal of the American Chemical Society (1999),

121(33), 7716-7717

CODEN: JACSAT; ISSN: 0002-7863

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal LANGUAGE: English

OTHER SOURCE(S): CASREACT 131:296952

AB Controlling biol. activity with light has become an important strategy for the study of processes as diverse as the activity of neurotransmitters and the coagulation of blood. In the past decade our own efforts have involved the successful use of a strategy to modify the catalytic residue of serine proteases with a photolabile moiety, effectively modifying the enzyme with a photoremovable cage. Caged enzymes generated from proteases of the coagulation cascade can be used to initiate plasma coagulation in vitro and in vivo. The potential for therapeutic and diagnostic applications of such strategies has, however, been largely untapped as has its utility in approaching more general chemical and biochem. problems. We report here a strategy that permits the selective inhibition, separation, and reactivation of two of the coagulation enzymes, thrombin and factor Xa. These studies demonstrate that specific proteases in a mixture of enzymes can be targeted, isolated, and regenerated in their fully active form by means of generating caged enzymes selectively.

TT 247106-23-6P 247106-31-6P 247106-39-4P 247106-47-4P 247106-55-4P 247106-63-4P 247106-71-4P 247106-79-2P 247106-87-2P 247107-03-5P 247107-11-5P 247107-19-3P

247107-27-3P

RL: BPR (Biological process); BSU (Biological study, unclassified); NUU (Other use, unclassified); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); PROC (Process); RACT (Reactant or reagent); USES (Uses)

(selective inhibition, separation, and purification of serine proteases using a

strategy based on a photoremovable inhibitor)

RN 247106-23-6 HCAPLUS

Absolute stereochemistry.
Double bond geometry as shown.

$$H_2N$$
 H_2N
 H_2N

RN 247106-31-6 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L- α -aspartyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

$$H_2N$$
 NH
 HO_2C
 HO_2C

RN 247106-39-4 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L- α -glutamyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Double bond geometry as shown.

$$H_2N$$
 H_2N
 H_2N

RN 247106-47-4 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]glycyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

RN 247106-55-4 HCAPLUS

CN L-α-Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-isoleucyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

RN 247106-63-4 HCAPLUS

CN L- α -Asparagine, N2-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-lysyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

RN 247106-71-4 HCAPLUS

CN L-α-Asparagine, N2-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-ornithyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

$$H_{2}N$$
 NH
 O
 Me
 NEt_{2}
 $H_{2}N$
 $(CH_{2})_{3}$
 S
 O
 NH_{2}

RN 247106-79-2 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-phenylalanyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

$$H_2N$$
 NH
 NH
 Ph
 NEt_2
 H_2N
 O

RN 247106-87-2 HCAPLUS

CN L- α -Asparagine, (2S)-N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl}-2-phenylglycyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

$$H_2N$$
 H_1N
 H_1N
 H_1N
 H_1N
 H_2N
 H_2N

RN 247107-03-5 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-L-tryptophyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

247107-11-5 HCAPLUS RN

 $L-\alpha$ -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-CN (diethylamino) -2-hydroxyphenyl] -2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-Ltyrosyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Double bond geometry as shown.

247107-19-3 HCAPLUS RN

 $L-\alpha$ -Asparagine, N2-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-CN (diethylamino) -2-hydroxyphenyl] -2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-Larginyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Double bond geometry as shown.

$$H_2N$$
 NH
 NH
 O
 Me
 NEt_2
 H_2N
 NH
 O
 OH
 NEt_2
 OH
 NH_2

RN 247107-27-3 HCAPLUS

CN L- α -Asparagine, N-[5-[(aminoiminomethyl)amino]-2-[[(2E)-3-[4-(diethylamino)-2-hydroxyphenyl]-2-methyl-1-oxo-2-propenyl]oxy]benzoyl]-3-cyclohexyl-L-alanyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1997:290093 HCAPLUS

DOCUMENT NUMBER: 126:264011

TITLE: Preparation of meta-guanidine, urea, thiourea or

azacyclic amino benzoic acid derivatives as integrin

antagonists

INVENTOR(S): Ruminski, Peter Gerrard; Clare, Michael; Collins, Paul

Waddell; Desai, Bipinchandra Nanubhai; Lindmark, Richard John; Rico, Joseph Gerace; Rogers, Thomas

Edward; Russell, Mark Andrew; et al.

PATENT ASSIGNEE(S): G.D. Searle and Co., USA; Ruminski, Peter Gerrard;

Clare, Michael; Collins, Paul Waddell; Desai, Bipinchandra Nanubhai; Lindmark, Richard, John

SOURCE:

PCT Int. Appl., 930 pp. CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

	rent 1					DATE	APPLICATION NO. DATE	
						WO 1996-US13500 19960827		
	W:	AL,	AM,	AT,	AU, A	Z, BB, BG	BR, BY, CA, CH, CN, CU, CZ, DE, DK,	
							IS, JP, KE, KG, KP, KR, KZ, LK, LR,	
							MN, MW, MX, NO, NZ, PL, PT, RO, RU,	
		SD,	SE,	SG,	SI, SI	(, TJ, TM	TR, TT, UA, UG, US, UZ, VN, AM, AZ,	
		BY,	KG,	KΖ,	MD, RU	J, TJ, TM		
	RW:	ΚE,	LS,	MW,	SD, S	Z, UG, AT	BE, CH, DE, DK, ES, FI, FR, GB, GR,	
		ΙE,	ΙT,	LU,	MC, N	L, PT, SE	BF, BJ, CF, CG, CI, CM	
	2230						CA 1996-2230209 19960827	
AU	9671	039			A1	1997031	AU 1996-71039 19960827	
						1999022		
							EP 1996-932142 19960827	
EP						2001071		
	R:	AT,	BE,	CH,	DE, DI	(, ES, FR	GB, GR, IT, LI, LU, NL, SE, PT, IE, 1	FΙ
CN	1201	454			Α	1998120	CN 1996-197911 19960827 BR 1996-10422 19960827 JP 1996-510397 19960827 IL 1996-123164 19960827 AT 1996-932142 19960827	
CN	1085	980			В	2002060		
BR	96104	422			Α	1999071	BR 1996-10422 19960827	
JP	1151	0814			T2	1999092	JP 1996-510397 19960827	
IL	1231	64			A1	2001031	IL 1996-123164 19960827	
ΑT	2032	34			E	2001081	AT 1996-932142 19960827	
PT	85022	21			\mathbf{T}	2001113	PT 1996-932142 19960827	
	2161						ES 1996-932142 19960827	
	2196						RU 1998-105408 19960827	
	11829						RO 2001-1069 19960827	
	11828					2003043		
	1863						PL 1996-325312 19960827	
	29332				В6	2004041	CZ 1998-341 19960827	
	9607				Α	1998033	ZA 1996-7379 19960830	
	98008				A B1 A1	1998042	NO 1998-817 19980226	
	3116	71			B1	2002010		
	1021!	532			A1	2002020	HK 1998-114666 19981228 GR 2001-401608 20010928	
	3036	/51			Т3	2001123	GR 2001-401608 20010928	
ORITY	(APP	LN.	INFO	. :			US 1995-3277P P 19950830	
TD 60		(0)					WO 1996-US13500 W 19960827	
iER SC	OURCE	(S):			MARPA'	7 126:264	.1	

$$A = \begin{bmatrix} Y^3 \\ C \\ Z^3 \end{bmatrix}_t$$

$$V = \begin{bmatrix} Y \\ C \\ Z \end{bmatrix}_n$$

$$N = CH - CH_2 - CH_2$$

$$R^{11}$$

$$R^{1}$$

$$I$$

AB The title compds. I [A = (un)substituted ureido, guanidino, etc. (generic structures given); Z1 = H, alkyl, OH, alkoxy, halo, (di)(alkyl)amino, aryl, etc.; V = NR6; R6 = H, alkyl, etc.; or YR6 forms a 4- to 12-membered mono-N-containing ring; Y, Y3, Z, Z3 = H, alkyl, aryl, cycloalkyl; or YZ or Y3Z3 form cycloalkyl; n = 1-3; t = 0-2; p = 0-3; R = XR3; X = 0, S, NH, etc.; R3 = H, alkyl, etc.; R1 = H, alkyl, alkenyl, etc.; R11 = H, alkyl, aralkyl, etc.] are prepared For example, m-nitrohippuric acid was subjected to a sequence of (1) amidation with Et 3-amino-3-(3-pyridyl)propanoate-2HCl; (2) hydrogenation of the nitro group; (3) reaction of the formed amine with benzyl isocyanate; and (4) alkaline saponification of the ester, to give

II

title compound II, isolated as the CF3CO2H or HCl salt. In an in vitro assay for antagonism of human vitronectin receptor $(\alpha V\beta 3)$, the title compound II.HCl bound with an IC50 of 0.86 nM.

IT 188805-63-2P 188805-80-3P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of meta-guanidino, -ureido, -thioureido, or -azacyclic-amino benzoic acid derivs. as integrin antagonists)

RN 188805-63-2 HCAPLUS

CN Butanoic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-4-hydroxy-, (S)-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 188805-08-5 CMF C14 H19 N5 O5

Absolute stereochemistry.

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 188805-80-3 HCAPLUS

Absolute stereochemistry.

```
IT
     188805-08-5P 188805-12-1P 188805-13-2P
     188805-17-6P 188805-18-7P 188811-53-2P
     188811-54-3P 188811-55-4P 188811-56-5P
     188811-57-6P 188811-58-7P 188811-59-8P
     188811-60-1P 188811-61-2P 188811-62-3P
     188811-63-4P 188811-64-5P 188811-66-7P
     188811-67-8P 188811-68-9P 188811-69-0P
     188811-70-3P 188811-85-0P 188811-86-1P
     188811-87-2P 188811-88-3P 188811-89-4P
     188811-90-7P 188811-91-8P 188811-92-9P
     188811-93-0P 188811-94-1P 188811-95-2P
    188811-96-3P 188811-97-4P 188811-98-5P
    188811-99-6P 188812-00-2P 188812-01-3P
    RL: BAC (Biological activity or effector, except adverse); BSU (Biological
     study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);
    BIOL (Biological study); PREP (Preparation); USES (Uses)
```

(preparation of meta-guanidino, -ureido, -thioureido, or -azacyclic-amino benzoic acid derivs. as integrin antagonists)

RN 188805-08-5 HCAPLUS

CN Butanoic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-4-hydroxy-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 188805-12-1 HCAPLUS

CN α -Asparagine, N-[3-[(aminoiminomethyl)amino]benzoyl]glycyl-N-(2-hydroxyethyl)- (9CI) (CA INDEX NAME)

RN 188805-13-2 HCAPLUS

CN α -Asparagine, N-[3-[(aminoiminomethyl)amino]benzoyl]glycyl-N-(2-hydroxyethyl)-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 188805-12-1 CMF C16 H22 N6 O6

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 188805-17-6 HCAPLUS

CN Butanoic acid, 4-[(2-aminobenzoyl)oxy]-3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 188805-18-7 HCAPLUS

CN Butanoic acid, 4-[(2-aminobenzoyl)oxy]-3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-, (S)-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 188805-17-6 CMF C21 H24 N6 O6

Absolute stereochemistry.

CM 2

CRN 76-05-1 CMF C2 H F3 O2

RN 188811-53-2 HCAPLUS

CN Butanoic acid, 3-[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-hydroxy- (9CI) (CA INDEX NAME)

RN 188811-54-3 HCAPLUS

CN Hexanoic acid, 3-[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-5,5,6,6,6-pentafluoro-4-oxo-(9CI) (CA INDEX NAME)

RN 188811-55-4 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]- γ -hydroxy- (9CI) (CA INDEX NAME)

RN 188811-56-5 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-fluoro- γ -hydroxy-(9CI) (CA INDEX NAME)

RN 188811-57-6 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-bromo- γ -hydroxy-(9CI) (CA INDEX NAME)

RN 188811-58-7 HCAPLUS

CN 5-Hexynoic acid, 3-[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-hydroxy- (9CI) (CA INDEX NAME)

RN 188811-59-8 HCAPLUS

CN 6-Heptenoic acid, 3-[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-hydroxy- (9CI) (CA INDEX NAME)

RN 188811-60-1 HCAPLUS

CN Cyclopentanebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]- γ -hydroxy- (9CI) (CA INDEX NAME)

RN 188811-61-2 HCAPLUS

CN 5-Hexynoic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-4-hydroxy-6-phenyl- (9CI) (CA INDEX NAME)

RN 188811-62-3 HCAPLUS

CN Pentonic acid, 3-[[[3-[(aminoiminomethyl)amino]-5 (trifluoromethyl)benzoyl]amino]acetyl]amino]-2,3,5-trideoxy- (9CI) (CA
 INDEX NAME)

RN 188811-63-4 HCAPLUS

CN Hexanoic acid, 3-[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-hydroxy-5-methyl- (9CI) (CA INDEX NAME)

RN 188811-64-5 HCAPLUS

RN 188811-66-7 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]- γ -oxo-(9CI) (CA INDEX NAME)

RN 188811-67-8 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-chloro- γ -oxo-(9CI)(CA INDEX NAME)

RN 188811-68-9 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-bromo- γ -oxo-(9CI) (CA INDEX NAME)

RN 188811-69-0 HCAPLUS

CN 1,3-Benzodioxole-5-butanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]- γ -oxo- (9CI) (CA INDEX NAME)

$$H_2N-C-NH$$
 NH
 $C-NH-CH_2-C-NH-CH-C$
 HO_2C-CH_2
 CF_3

RN 188811-70-3 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]-5-(trifluoromethyl)benzoyl]amino]acetyl]amino]-4-methyl- γ -oxo-(9CI)(CA INDEX NAME)

RN 188811-85-0 HCAPLUS

CN Hexanoic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-5,5,6,6,6-pentafluoro-4-oxo- (9CI) (CA INDEX NAME)

RN 188811-86-1 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benzoyl]amino] acetyl]amino]-4-chloro- γ -hydroxy- (9CI) (CA INDEX NAME)

RN 188811-87-2 HCAPLUS

CN Benzenebutanoic acid, β -[[[3-[(aminoiminomethyl)amino]benzoyl]amino] acetyl]amino]-4-bromo- γ -hydroxy- (9CI) (CA INDEX NAME)

RN 188811-88-3 HCAPLUS

CN 3-Cyclopentene-1-butanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benz oyl]amino]acetyl]amino]- γ -hydroxy- (9CI) (CA INDEX NAME)

RN 188811-89-4 HCAPLUS

CN Hexanoic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-4-hydroxy-5-methyl- (9CI) (CA INDEX NAME)

RN 188811-90-7 HCAPLUS

CN 5-Hexenoic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-4-hydroxy- (9CI) (CA INDEX NAME)

RN 188811-91-8 HCAPLUS

CN 6-Heptenoic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-4-hydroxy- (9CI) (CA INDEX NAME)

RN 188811-92-9 HCAPLUS

CN Pentonic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-2,3,5-trideoxy- (9CI) (CA INDEX NAME)

RN 188811-93-0 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benzoyl]amino] acetyl]amino]- γ -oxo- (9CI) (CA INDEX NAME)

RN 188811-94-1 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benzoyl]amino] acetyl]amino]-4-chloro- γ -oxo- (9CI) (CA INDEX NAME)

RN 188811-95-2 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benzoyl]amino] acetyl]amino]-4-bromo- γ -oxo- (9CI) (CA INDEX NAME)

RN 188811-96-3 HCAPLUS

CN 1,3-Benzodioxole-5-butanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]- γ -oxo- (9CI) (CA INDEX NAME)

RN 188811-97-4 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benzoyl]amino] acetyl]amino]-4-fluoro- γ -oxo- (9CI) (CA INDEX NAME)

RN 188811-98-5 HCAPLUS

CN Benzenebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benzoyl]amino] acetyl]amino]-4-methyl- γ -oxo- (9CI) (CA INDEX NAME)

RN 188811-99-6 HCAPLUS

CN Cyclopentanebutanoic acid, β -[[[[3-[(aminoiminomethyl)amino]benzoyl]a mino]acetyl]amino]- γ -oxo- (9CI) (CA INDEX NAME)

RN 188812-00-2 HCAPLUS

CN 5-Hexynoic acid, 3-[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-4-oxo- (9CI) (CA INDEX NAME)

RN 188812-01-3 HCAPLUS

CN 5-Hexenoic acid, 3-[[[[3-[(aminoiminomethyl)amino]benzoyl]amino]acetyl]amino]-4-oxo- (9CI) (CA INDEX NAME)

THIS PACE BLANK (USPTO)

=>

THIS PAGE BLANK (USPFO)